



## ► Rain Curtain™ Nozzles

Large water droplets and gentle close-in watering ensure efficient coverage and green grass.

## ► Durable Leak-Free Seal

An oversized seal prevents puddling and guarantees consistent pop-up and retraction for years.

## ► Proven Performance and Reliability

A 13 year history of proven performance and reliability tested in millions of installations.

## 3500 Series Rotor

*Compact Residential Rotor Big on Value and Convenience*



Relax with the knowledge your landscape is being watered by reliable 3500 series rotors and industry-leading Rain Curtain nozzle technology.

3500 series rotors are engineered to deliver a uniform spray pattern, giving you superior distribution uniformity and a consistently green lawn with less water.

The larger water droplets produced by Rain Curtain technology prevent misting and airborne evaporation so the right amount of water is delivered to the right place, saving you water and money.

Gentle close-in watering eliminates dry spots around the rotor, prevents seed washout and allows the turf to grow healthy with no matting or bending.

## Heavy-Duty Wiper Seal

- Oversized wiper seal prevents leaks and protects internals from debris.
- Never needs replacement.
- Guarantees positive pop-up and retraction every time.

## HEAVY-DUTY WIPER SEAL

*Oversized protection for leak-free operation*

**2x**  
THE  
SEALING  
SURFACE




RAIN BIRD  
WIPER SEAL

LEADING  
COMPETITOR

## Rain Curtain™ Nozzles

- Even distribution over the entire radius means efficient coverage for greener grass with less water.
- Large wind resistant droplets perform in real world conditions.
- Gentle close-in watering eliminates dry spots around the rotor for healthy turf with no matting or bending.



## Simply Reliable

- Just the basics for easy installation and maximum reliability.
- Arc adjustment through the top of the rotor requiring only a flat-blade screwdriver.
- A three year trade warranty.



## Options for Every Application

- Seal-A-Matic (SAM) check valves hold up to 7 feet (2.1m) of elevation change to prevent low head drainage.
- Non-potable purple cover for easy identification of reclaimed water systems.